

## Non-blocking server

```
import socket
import select

HOST = '127.0.0.1' # Standard loopback interface address (localhost)
PORT = 65432      # Port to listen on (non-privileged ports are > 1023)

# Create a socket
server_socket = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
server_socket.setsockopt(socket.SOL_SOCKET, socket.SO_REUSEADDR, 1)

# Bind the socket to the address and port
server_socket.bind((HOST, PORT))

# Listen for incoming connections
server_socket.listen()

print(f"Listening on {HOST}:{PORT}")

# Set the server socket to non-blocking mode
server_socket.setblocking(0)

# Keep track of input sockets
inputs = [server_socket]
outputs = []

while inputs:
    # Wait for at least one of the sockets to be ready for processing
    readable, writable, exceptional = select.select(inputs, outputs, inputs)

    for s in readable:
        if s is server_socket:
            # Accept new connection
            connection, client_address = s.accept()
            print(f"New connection from {client_address}")
            connection.setblocking(0)
            inputs.append(connection)
        else:
            data = s.recv(1024)
            if data:
                # A readable client socket has data
                print(f"Received {data} from {s.getpeername()}")
                # Add output channel for response
                if s not in outputs:
                    outputs.append(s)
            else:
                # Interpret empty result as closed connection
```

```
print(f"Closing {client_address}")
if s in outputs:
    outputs.remove(s)
inputs.remove(s)
s.close()

for s in writable:
    response = b'This is a response from the server.'
    s.send(response)
    # Once response has been sent, we don't need to write anymore
    outputs.remove(s)

for s in exceptional:
    print(f"Handling exceptional condition for {s.getpeername()}")
    # Stop listening for input on the connection
    inputs.remove(s)
    if s in outputs:
        outputs.remove(s)
    s.close()
```

From: <https://edu.iit.uni-miskolc.hu/> - Institute of Information Science - University of Miskolc

Permanent link: [https://edu.iit.uni-miskolc.hu/tanszek:oktatas:iss\\_t:python\\_example\\_for\\_blocking\\_and\\_non-blocking\\_socket?rev=1708876160](https://edu.iit.uni-miskolc.hu/tanszek:oktatas:iss_t:python_example_for_blocking_and_non-blocking_socket?rev=1708876160)

Last update: 2024/02/25 15:49

