

## Information

Experience shows that the **information value** of certain *news* depends on their probability.

$$I_{E_i} = f(P_i)$$

in which  $I_{E_i}$  means the information value. In this aspect the more unexpected or unlikely (rumour) a *news* is the bigger its *news* value.

So the  $f()$  function was selected according to Shannon's suggestion:

$$I_E = \log_2 \frac{1}{p_E} = -\log_2(p_E) \text{ [bit]}$$

The properties of a logarithm function play an important role in the modeling procedure of the quantitative properties of a given information.

If an event space consists of two equal-probability events ( $p(E_1) = p(E_2) = 0.5$ ) then,

$$I_{E_1} = I_{E_2} = \log_2 \frac{1}{0.5} = -\log_2 0.5 = 1 \text{ [bit]}$$

So the unit of the information means the news value which is connected to the simple, less likely, same probability choice.

If the event system consists of 'n' number of events and all these events have the same probability then the probability of any event is the following:

$$p_E = \frac{1}{n}$$

In these cases, the news value which is connected to these events will be the following:

$$I_E = \log_2 \frac{1}{p_E} = \log_2(n) \text{ [bit]}$$

## Entropy

If the events in the event space are not equally likely, then the set of messages can be well characterized by the average information content of the messages.


The average information content of the set of messages is called the *entropy* of the message set.

$$H_E = \sum_{i=1}^n p_i \cdot I_{E_i} = \sum_{i=1}^n p_i \cdot \log_2 \frac{1}{p_i} = -\sum_{i=1}^n p_i \cdot \log_2 p_i$$

**Example:** Given an event space consisting of two events: ( $E = \{E_1, E_2\}$ ), and further ( $p = \{p_1, p_2\}$ ) with ( $p_2 = 1 - p_1$ ), then the average information content is:

$$H_E = -[p_1 \cdot \log p_1 + (1 - p_1) \cdot \log (1 - p_1)]$$

This function can be represented as follows:



We can see that entropy is highest when the two events are equally likely. In general, in this model, entropy is low when our event system includes events with low probabilities.

Entropy can also be viewed as a measure of the information “richness” of a message. In communication systems, higher entropy implies a greater potential for the message to carry a variety of content, whereas lower entropy suggests that the message is more predictable or redundant.

This concept is crucial in various fields, including *data compression*, *cryptography*, and *machine learning*, where understanding and managing entropy can lead to more efficient algorithms and systems. For example, in data compression, reducing redundancy (and thus reducing entropy) can lead to more compact data representations. Similarly, in cryptography, managing entropy ensures that keys and encrypted messages are less predictable and more secure.

From:  
<https://edu.iit.uni-miskolc.hu/> - Institute of Information Science - University of Miskolc

Permanent link:  
<https://edu.iit.uni-miskolc.hu/tanszek:oktatas:techcomm:information?rev=1724764271>

Last update: **2024/08/27 13:11**

